


William Street Kerbside Protected Bike Lanes (Dudley Street to La Trobe Street)



LOCALITY PLAN

LOCATION OF WORKS



F-3-L



F-3-F



F-1-F
INSTALL 1.5m POST IN GROUND & ERECT SIGN



INSTALL 300mm GK SOCKET, 1.5m POST & SIGN



REPLACE PARKING SIGN WITH NO STOPPING SIGN

ERECT SIGN BACK TO BACK, BELOW GIVE WAY SIGN

CONSTRUCT ACCESS RAMP WITH NEW 300mm BLUESTONE KERB AND ASPHALT FOOTPATH

PAINT EDGE LINE, BICYCLE & PEDESTRIAN LOGOS AT 10.0m CENTRES

INSTALL ORCA 300 SEPARATION KERB

PAINT LARGE BICYCLE LOGO (TYPICAL)

AFFIX RED RRPMS AT 12.0m CENTRES

PAINT 1m LINE x 2m GAP CONTINUITY LINES

KEEP CLEAR

PAINT NEW ARROWS 25m APART


BLACK OUT EXISTING PAVEMENT ARROWS WITH BLACK LONG LIFE PAINT

INSTALL 1.5m POST IN GROUND & ERECT SIGN



F-1-F

INSTALL 300mm GK SOCKET, 1.5m POST & SIGN



CONSTRUCTION PLAN

DUDLEY STREET

CONTINUATION

LINE A

"K" SHED

"L" SHED

PEEL STREET

STREET

39
L.1199
YON
3/35
ES
35
8025
25-31
5132

